


# aiwa



## NSX-430



COMPACT DISC STEREO SYSTEM


- BASIC TAPE MECHANISM : 2ZM – 3PR3N
- BASIC CD MECHANISM : KSL – 2101ABM


- TYPE: LH, HE, HR


### REVISION PUBLISHING


| SYSTEM    | CD – CASSEIVER | REMOTE<br>CONTROLLER | SPEAKER    |
|-----------|----------------|----------------------|------------|
| NSX – 430 | CX – N430      | RC – TN430           | SX – FN450 |


- This Service Manual is the "Revision Publishing" and replaces "Simple Manual" ( S/M Code No. 09-946-063-0FE ).















SCHEMATIC DIAGRAM – 1 (LH MODEL)




### SCHEMATIC DIAGRAM – 2 (HE, HR MODELS)









PIN901

|    |                    |
|----|--------------------|
| 1  | VCC                |
| 2  | A-GND              |
| 3  | MIC-IN             |
| 4  | ECHO-OUT           |
| 5  | DSP-CE             |
| 6  | R IN               |
| 7  | L IN               |
| 8  | M-DATA             |
| 9  | M-CLOCK            |
| 10 | DISCO (ON/OFF LEØ) |
| 11 | LIVE (ON/OFF LEØ)  |
| 12 | HALL (ON/OFF LEØ)  |
| 13 | L OUT              |
| 14 | R OUT              |

TO FRONT C.B  
PIN901

SIGNAL  
➔ PLAYBACK  
➞ CONTROL

| サービス技術ニュース |      |
|------------|------|
| 番号         | 連絡内容 |
| G- -       |      |
| G- -       |      |
| G- -       |      |

アイワ株式会社  
AIWA CO.,LTD.

9301950, 9420025, 750038

Tokyo Japan