

Service Manual



**ORDER NO.
ART-611-0**

FM/AM DIGITAL SYNTHESIZED TUNER

F-9

MODEL F-9 COMES IN SIX VERSIONS DISTINGUISHED AS FOLLOWS:


Type	Voltage	Remarks
KU	120V only	U.S.A. model
S	110V, 120V, 220V and 240V (Switchable)	General export model
S/G	110V, 120V, 220V and 240V (Switchable)	U.S. Military model
HE	220V and 240V (Switchable)	Europe model
HB	220V and 240V (Switchable)	United Kingdom model
KC	120V only	Canada model


- This service manual is applicable to the KU type. When repairing the HE, HB types, please see the additional service manual (ART-613), and see the ART-614 for S, S/G types and ART-612 for KC type.
- Ce manuel d'instruction se réfère au mode de réglage, en français.
- Este manual de servicio trata del método de ajuste escrito en español.

CONTENTS

1. SPECIFICATIONS	2	8. SCHEMATIC DIAGRAM	15
2. FRONT PANEL FACILITIES	2	9. ELECTRICAL PARTS LIST	18
3. BLOCK DIAGRAM	4	10. EXPLODED VIEW	21
4. CIRCUIT DESCRIPTIONS	5	11. ADJUSTMENTS	23
5. PACKING	10	RÉGLAGE	26
6. PARTS LOCATION	10	AJUSTE	29
7. P.C. BOARDS CONNECTION DIAGRAM	12		


8. SCHEMATIC DIAGRAM





NOTE:

The indicated semiconductors are representative ones only. Other alternative semiconductors may be used and are listed in the parts list.



A

B

C

D