



SCHEMATIC DIAGRAM (DSP)

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450




IC8: MS514280E-60JS

4Mbit DRAM




IC10: SN74LV245APWR

Octal Bus Transceiver with 3-state Outputs




IC12: PQ02SEZSMZP

Regulator




IC11: μPC29M33T-E1

Voltage Regulator




IC13: PQ012F20ZP

Voltage Regulator



IC14: 74VHC15MTGX


Quad 2-Input Multiplexer



IC18: μPC457002


IC19-21: NJM2068MD

Dual OP-Amp




IC22: SN74AHC08PWR

Quad 2-Input And Gate



IC16: AK4628VQ


192kHz 24Bit 8-channel CODEC



Mark	Reference Parts Number	Parts Name
1	U1	GP1F45532Z
2	U2-4	GP1F45532Z
3	IC4	NJM2068MD
4	IC8	MS514280E-60JS
5	IC6	CY62128ML-70SCT
6	IC1	MM74HC04JX
7	IC3	TC74VCT04F

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
⊗	CARBON FILM RESISTOR (P=10)
Δ	METAL OXIDE FILM RESISTOR
⊠	METAL FILM RESISTOR
⊙	TANTALUM CAPACITOR
⊖	TANTALUM CAPACITOR
⊕	CERAMIC TUBULAR CAPACITOR
⊗	POLYSTYRENE FILM CAPACITOR
⊖	MICA CAPACITOR
⊕	POLYPROPYLENE FILM CAPACITOR
⊖	SEMICONDUCTIVE CERAMIC CAPACITOR
⊕	POLYETHYLENE SULFIDE FILM CAPACITOR

NOTICE (model)
(J)..... JAPAN
(U)..... U.S.A.
(C)..... CANADA
(B)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(L)..... SINGAPORE
(E)..... SOUTH AFRICA





★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked †, and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ †印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

x: NOT USED
O:USED / APPLICABLE

Mark	Reference	Number	Part's Name
#1	0301-306. 309. 310 751-756	25C3326 A B	
		25D2704 A	
		25C3326 B	
		25C5938A A B	
#2	0308	25A1015 Y KTA1266	
#3	Q307	25C B 5 Y KTC3198	



Tuner / VIDEO

RDS

Point ② Cathode of D501 and Pin 12 of IC502

Mark	Reference	Parts Number	Interchangeable-Stage	Parts Name
411	10607-606-701		13	1T45200T AC0064AF
	10609		13	1T4H402QAFEL MH4H402Q43F
	10603-606-701		13	1T4H402Q43F MH4H402Q35J3
414	0902-806		13	25C2413W/16/R/S/1 25A103AE1/E/1
	0701		13	25C2413W/16/R/S/1 25D001416/R/S/1
	0461-463-501-503-511		13	193355 MA111
	0601-604-606-607		13	27C0101 25C1045-RTX
417	0452		13	DTA0101 KTA1260
	0601-601-606-610-612		13	25C1746B1/R/S/1 25C3601416/R/1
	0901-904		13	25C331416/R/S/1 25C18101/1
420	0507		13	K7C330
421				

NOTICE (model)

(J)..... JAPAN
(U)..... U.S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

[illegible]

X: NOT USED
O: USED / APPLICABLE


		U-C	B	T	A	B/G-S
43	5503	A103741G/RS VW5550		X	A103741G/RS VW5550	
44	C512	3-7-70 UR8662		X	3-7-50 UP8662	
45	R566	10K RD35810	X	X	10K RD35810	
546	F071	4-70 RD3547		X	4-70 RD3547	X
47	F077	4-76 RD3547		X	4-76 RD3547	X
581	C5451-504	51048 V187850		X	51048 V187850	X
582	MSJ-05	MSJ0530 V94370		X	MSJ0530 V94370	
583	JK-61	MSJ-930-128AC V94370		X	MSJ-930-128AC V94370	
584	JK-62	MSJ-930-128AC V94370		X	MSJ-930-128AC V94370	
585	D451-463	15335 VT3300		X	15335 VT3300	
586	D451-464	0-01 US56410		X	0-01 US56410	
587	C461-464	A17081-011 V081250		X	A17081-011 V081250	
588	D452	DTC1446A V65570		X	DTC1446A V65570	
589	R452	10K RD35810		X	10K RD35810	
590	R462	10K RD35710		X	10K RD35710	
591	R463	2-7 RD35427		X	2-7 RD35427	

X = NOT USED
O = NOT APPLICABLE








X: NOT USED
O: USED / A/F

					U-C	R	T	X	X	X	B-E-E	L
923	10003										LC72029M	
924	AL502										X008242	
											XA33842	
925	C531-533										V39300	
											270	
926	C505-527										U056127	
											540	
927	C530										U056233	
											9649	
928	C535-532										U056566	
											0-176	
											U13510	
929	C534-529										47176	
											U037347	
930	6593										100	
											U035010	
931	6594-596										470	
											U035647	
932	6596-597										10x	
											U035710	
933	6593										20x	
											U035722	
934	LS01										2004	
											VUM950	
935	9508										2740311W	
											1C17462	
											10x	
936	9501										U035633	
											10x	
937	9501										U035723	
											10x	
938	9501-569										U035810	
											10x	
939	J501				0	0	0	0	0	0	0	0

X: NOT USED
O: USED / APPLICABLE




POWER ON (Connect the power cable)	POWER OFF (Disconnect the power cable)
---------------------------------------	---



- ★ All voltages are measured with a 10M Ω /V DC electronic volt meter.
- ★ Components having special characteristics are marked and must be replaced with parts having specifications equal to those originally installed.
- ★ Schematic diagram is subject to change without notice.

- ★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
- ★ ①印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
- ★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。



Interchangeable Parts at Manufacture-Stage

Mark	Reference Parts Number	Parts Name
41	0301-306-309-310 0753-756	2SC3326(A/B) 2SC3704(K) 2SC3326(B) 2SC9938A(A/B) 2SC1815(V) KTA1266
42	0308	2SA1015(V) KTA1266
43	0307	2SC1815(V) KTC3198

RESISTOR

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
⊠	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
⊞	METAL FILM RESISTOR
⊞	METAL PLATE RESISTOR
⊞	FIRE PROOF CARBON FILM RESISTOR
⊞	CEMENT MOLDED RESISTOR
⊞	SEMI VARIABLE RESISTOR
⊞	CHIP RESISTOR

CAPACITOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊞	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
⊞	CERAMIC TUBULAR CAPACITOR
⊞	POLYESTER FILM CAPACITOR
⊞	POLYSTYRENE FILM CAPACITOR
⊞	MICA CAPACITOR
⊞	POLYPROPYLENE FILM CAPACITOR
⊞	SEMICONDUCTIVE CERAMIC CAPACITOR

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
 ★ Components having special characteristics are marked ⊠, and must be replaced with parts having specifications equal to those originally installed.
 ★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
 ★ ⊠印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリス
 トに記載されている部品を使用してください。
 ★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

SCHEMATIC DIAGRAM (FUNCTION 2/2) HTR-5750 RX-V450/HTR-5740/DSP-AX450

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450

REMARKS	PARTS NAME	REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (D=5)	NO MARK	ELECTROLYTIC CAPACITOR
□	CARBON FILM RESISTOR (D=10)	□	TANTALUM CAPACITOR
△	METAL OXIDE FILM RESISTOR	○	CERAMIC CAPACITOR
◇	METAL FILM RESISTOR	○	CERAMIC TUBULAR CAPACITOR
■	METAL PLATE RESISTOR	○	POLYESTER FILM CAPACITOR
□	FIRE-PROOF CARBON FILM RESISTOR	○	POLYSTYRENE FILM CAPACITOR
□	CEMENT MOLDED RESISTOR	○	MICA CAPACITOR
□	SEMI-VARIABLE RESISTOR	○	POLYPROPYLENE FILM CAPACITOR
■	CHIP RESISTOR	○	SEMICONDUCTIVE CERAMIC CAPACITOR

Mark	Reference Parts Number	Parts Name
411	IC007:608	TK15420MTL
412	IC009	TC74HC04AFEL
413	IC701-603:606	TC74HC043AF
414	0503-504-904	25A1037A(10/9/S)
415	0701	25C2412A(10/9/S)
416	0501-503-511-601-604	153355
417	0509	0509-504-904
418	0514	25A1037A(10/9/S)
419	0508-601-608-610-612	25C2412A(10/9/S)
420	0507	25C2412A(10/9/S)
421		KT3198

NOTICE (mode1)
(J)..... JAPAN
(U)..... U.S.A.
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

Tuner / VIDEO

HTR-5750	U.C.	T	K	A	B.G.E
416	R549	X	X	100K	100K
417	R553	X	X	100K	100K
418	R552	X	X	100K	100K
419	R555	X	X	100K	100K
420	CB511	X	X	X	X
421	SW901	X	X	X	X
422	W513	X	X	X	X
423	CB512	X	X	X	X
424	T801	X	X	X	X
425	T802	X	X	X	X


RDS

		J	U	C	R	L	T	K	A	B.G.E
423	IC003	X	X	X	X	X	X	X	X	LC73799 v008240
424	IL502	X	X	X	X	X	X	X	X	4.33002 V93000
425	C031-533	X	X	X	X	X	X	X	X	0797K V056127
426	C006-527	X	X	X	X	X	X	X	X	330P 0002673
427	C030	X	X	X	X	X	X	X	X	900B 0005696
428	C026-532	X	X	X	X	X	X	X	X	0.151B 0151310
429	C008-509	X	X	X	X	X	X	X	X	471B 0003747
430	FP03	X	X	X	X	X	X	X	X	100 0006810
431	FP04-505	X	X	X	X	X	X	X	X	470 0009547
432	FP06-507	X	X	X	X	X	X	X	X	20K 0008710
433	FP02	X	X	X	X	X	X	X	X	20K 0009722
434	LP01	X	X	X	X	X	X	X	X	330P V188900
435	GP08	X	X	X	X	X	X	X	X	LC74005 1174302
436	FP01	X	X	X	X	X	X	X	X	3.3K 0001745
437	FP00	X	X	X	X	X	X	X	X	33K 0008733
438	FP01-500	X	X	X	X	X	X	X	X	100K 0009580
439	JP01	0	0	0	0	0	0	0	X	
NOT USED										

■ SCHEMATIC DIAGRAM (OPERATION) RX-V550

FL DISPLAY

FL DRIVER



REMARKS	PARTS NAME	
NO MARK	ELECTROLYTIC CAPACITOR	⌘
⊗	TANTALUM CAPACITOR	
NO MARK	CERAMIC CAPACITOR	
●	CERAMIC TUBULAR CAPACITOR	
⊙	POLYESTER FILM CAPACITOR	
○	POLYSTYRENE FILM CAPACITOR	
①	MICA CAPACITOR	
⊖	POLYPROPYLENE FILM CAPACITOR	
⊕	SEMICONDUCTIVE CERAMIC CAPACITOR	
⊙	POLYPHENYLENE SULFIDE FILM CAPACITOR	

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
□	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
▲	METAL FILM RESISTOR
⊠	METAL PLATE RESISTOR
▨	FIRE PROOF CARBON FILM RESISTOR
□	CEMENT MOLDED RESISTOR
⊗	SEMI VARIABLE RESISTOR
■	CHIP RESISTOR

		R · T · K · L	U · C · A	B · G · E	
s1	SW816 - 819	X	X	VV02030	RDS
s2	RB32	X	X	2.2K RD35622	
s3	RB36	X	X	3.3K RD35633	
s4	RB39	X	X	4.7K RD35647	
s5	RB40	X	X	6.8K RD35668	REMOTE
s6	RB16	X		10K RD35710	
s7	DB02	X		SIR-505ST V259820	


x: NOT USED
o: USED / APPLICABLE

Interchangeable Parts at Manufacture-Stage

Mark	Reference Parts Number	Parts Name
&1	0801-806	2SC2412K10/R/S1 2SD601A10/R/S1
&2	0872-873-881-884	1SS355 MA111
&3		
&4		
&5		
&6		
&7		

NOTICE (model)

(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE





★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked Δ and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ Δ 印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (OPERATION) HTR-5750 RX-V450/HTR-5740/DSP-AX450

RX-V550/HTR-5750/RX-V450/HTR-5740/DSP-AX450



s1	SWB18-B21	X	VV02030
s2	RB36	X	RD35647
s3	RB37	X	RD35668
s4	RB38	X	RD35710
s5	RB39	X	RD35722

Mark	Reference Parts Number	Parts Name
&1	Q801-Q806	2SC2412K(I)Q/R/S/I 2SD601A(I)X(I)Q/R/S
&2	D881-B84-872-873	1SS355 MA111
&3	D803	1SS355 MA111
&4		

NOTICE (mode1)
(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
□	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
▲	METAL FILM RESISTOR
⊠	METAL PLATE RESISTOR
▤	FIRE PROOF CARBON FILM RESISTOR
■	CEMENT MOLDED RESISTOR
⊗	SEMI VARIABLE RESISTOR
■	CHIP RESISTOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊗	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
●	CERAMIC TUBULAR CAPACITOR
⊙	POLYESTER FILM CAPACITOR
○	POLYSTYRENE FILM CAPACITOR
①	MICA CAPACITOR
②	POLYPROPYLENE FILM CAPACITOR
③	SEMICONDUCTIVE CERAMIC CAPACITOR
④	POLYPHENYLENE SULFIDE FILM CAPACITOR

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked △, and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ △印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (MAIN)

Page 83 [F10]
to POWER (1)

Page 83 [E10]
to POWER (1)

Page 83 [E10]
to POWER (1)

RX-V550: Page 77 [H7]
HTR-5750, RX-V450, HTR-5740,
DSP-AX450: Page 79 [H6]
to FUNCTION (2)

Page 83 [K3]
to POWER (1)

Page 84 [A4]
to SUBTRANS

RX-V550: Page 77 [H6]
HTR-5750, RX-V450, HTR-5740,
DSP-AX450: Page 79 [H7]
to FUNCTION (2)

RESISTOR	REMARKS	PARTS NAME
NO MARK	NO MARK	CARBON FILM RESISTOR (P-5)
⊠	⊠	CARBON FILM RESISTOR (P-10)
△	△	METAL OXIDE FILM RESISTOR
□	□	METAL FILM RESISTOR
■	■	FILM PROOF CARBON FILM RESISTOR
□	□	CEMENT MOUNTED RESISTOR
⊠	⊠	SEMI VARIABLE RESISTOR
■	■	CHIP RESISTOR

CAPACITOR	REMARKS	PARTS NAME
NO MARK	NO MARK	ELECTROLYTIC CAPACITOR
⊠	⊠	TANTALUM CAPACITOR
⊠	⊠	CERAMIC CAPACITOR
⊠	⊠	CERAMIC TUBULAR CAPACITOR
⊠	⊠	POLYESTER FILM CAPACITOR
⊠	⊠	POLYSTYRENE FILM CAPACITOR
⊠	⊠	MICA CAPACITOR
⊠	⊠	POLYPROPYLENE FILM CAPACITOR
⊠	⊠	SEMICONDUCTIVE CERAMIC CAPACITOR
⊠	⊠	POLYPHENYLENE SULFIDE FILM CAPACITOR

NOTICE (mode1)
(J)..... JAPAN
(U)..... U.S.A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(S)..... SINGAPORE
(E)..... SOUTH EUROPE

Interchangeable Parts at Manufacture Stage	Parts Name
41	RY121 120-124 125 SPA-28
42	D133 125P20-C1 D5580
43	D1-14 251 H5124 155133 155176
44	D1 DSB17418/51 2581561E/P1

RX-V550/HTR-5750	LC	RTA	BL/LKE
41	C136 131-134-137	X	0.01
42	TE120 121	WC6190	WC6190
44	C136-141	X	4700P UM6347
46	SW1	S5029-P020NMB V306430	S5029-P020NMB V306430
47	C152 123	800071 WC61080	800071 WC61080

RX-V450/HTR-5740/DSP-AX450	J	LC	RTA	BL/LKE
41	C136 131-134-137	X	X	0.01
42	TE120 121	WC6190	WC6190	WC6190
44	C136-141	X	X	4700P UM6347
46	SW1	X	S5029-P020NMB V306430	S5029-P020NMB V306430
47	C152 123	800071 WC61080	800071 WC61080	800071 WC61080


X: NOT USED
O: USED / APPLICABLE

to Power Transformer

★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked !, and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ !印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。

■ SCHEMATIC DIAGRAM (POWER)



RESISTOR	
REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
	CARBON FILM RESISTOR (P=10)
	METAL OXIDE FILM RESISTOR
	METAL FILM RESISTOR
	METAL PLATE RESISTOR
	FIRE PROOF CARBON FILM RESISTOR
	CEMENT MOLDED RESISTOR
	SEMI VARIABLE RESISTOR
	CHIP RESISTOR

CAPACITOR			
REMARKS	PARTS NAME		
NO MARK	ELECTROLYTIC CAPACITOR	7	
⊗	TANTALUM CAPACITOR		
NO MARK	CERAMIC CAPACITOR		
⊙	CERAMIC TUBULAR CAPACITOR		
⊙	POLYESTER FILM CAPACITOR		
○	POLYSTYRENE FILM CAPACITOR	11	
①	MICA CAPACITOR		
⊙	POLYPROPYLENE FILM CAPACITOR		
⊗	SEMICONDUCTIVE CERAMIC CAPACITOR		
⊙	POLYPHENYLENE SULFIDE FILM CAPACITOR		

Page 82 F7
to MAIN (1)

NOTICE (model)


(J)	 JAPAN
(U)	 U.S. A
(C)	 CANADA
(R)	 GENERAL
(T)	 CHINA
(K)	 KOREA
(A)	 AUSTRALIA
(B)	 BRITISH
(G)	 EUROPE
(L)	 SINGAPORE
(E)	 SOUTH EUROPE

[illegible]

RX-550HTR-5750		U, C, T, K (WC83940)	R (WB43950)	L (W007280)	A, B, G, E (WC43960)
s1	SW291	X	WB49370	W007370	X
s2	CB291	X	W537780	V937780	X
s3	CB292	X	V937790	V937780	X
s4	CB293, 294	X	WC05970	WC05970	X
s5	W291	X	V941190	V941190	X
s6	F3	X	T4AL250V KB00079	T4AL250V KB00079	X
s7	C360	6800/25	6800/25	6800/25	6800/25

RX-V450HTR 5740DSP AX450		J, U, C, T, K (WC83970)	R (WC83980)	L (WD07290)	A, B, G, E (WC83990)
s1	SW291	X	WB07370	WD07370	X
s2	CB291	X	V937780	V937780	X
s3	CB292	X	V937790	V937790	X
s4	CB293, 294	X	VP20650	VP20650	X
s5	W291	X	V941190	V941190	X
s6	F3	X	T4AL250V KB00079	T4AL250V KB00079	X
s7	C360	4700/25	4700/25	4700/25	4700/25

x: NOT USED
 O: USED / APPLICABLE



- ★ All voltages are measured with a 10M Ω /V DC electronic volt meter.
- ★ Components having special characteristics are marked  and must be replaced with parts having specifications equal to those originally installed.
- ★ Schematic diagram is subject to change without notice.

- ★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
- ★ 凡印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
- ★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。




x: NOT USED
O: USED / APPLICABLE

Mark	Reference Parts Number	Parts Name
Q1	D401, 402, 406, 409, 411	HSS104 1SS133 1SS176
Q2	Q404	2SK3850 2SK3491
Q3		
Q4		

(J)..... JAPAN
(U)..... U. S. A
(C)..... CANADA
(R)..... GENERAL
(T)..... CHINA
(K)..... KOREA
(A)..... AUSTRALIA
(B)..... BRITISH
(G)..... EUROPE
(L)..... SINGAPORE
(E)..... SOUTH EUROPE

CAPACITOR		
REMARKS	PARTS NAME	
NO MARK	ELECTROLYTIC CAPACITOR	H
⊗	TANTALUM CAPACITOR	
NO MARK	CERAMIC CAPACITOR	H
●	CERAMIC TUBULAR CAPACITOR	
⊙	POLYESTER FILM CAPACITOR	
○	POLYSTYRENE FILM CAPACITOR	
①	MICA CAPACITOR	
Ⓟ	POLYPROPYLENE FILM CAPACITOR	
⊕	SEMICONDUCTIVE CERAMIC CAPACITOR	
Ⓢ	POLYPHENYLENE SULFIDE FILM CAPACITOR	




NOTICE (model)
(J)..... JAPAN

REMARKS	PARTS NAME
NO MARK	CARBON FILM RESISTOR (P=5)
⊠	CARBON FILM RESISTOR (P=10)
△	METAL OXIDE FILM RESISTOR
⊡	METAL FILM RESISTOR
⊞	METAL PLATE RESISTOR
⊞	FIRE PROOF CARBON FILM RESISTOR
□	CEMENT MOLDED RESISTOR
⊞	SEMI VARIABLE RESISTOR
■	CHIP RESISTOR

REMARKS	PARTS NAME
NO MARK	ELECTROLYTIC CAPACITOR
⊗	TANTALUM CAPACITOR
NO MARK	CERAMIC CAPACITOR
●	CERAMIC TUBULAR CAPACITOR
⊙	POLYESTER FILM CAPACITOR
○	POLYSTYRENE FILM CAPACITOR
⊖	MICA CAPACITOR
⊖	POLYPROPYLENE FILM CAPACITOR
⊖	SEMICONDUCTIVE CERAMIC CAPACITOR


Mark	Reference Parts Number	Parts Name
⋈1	IC851, 852	TC74HC4053AF MM74HC4053JX
⋈2	Q851	C2412K1(Q/R/S) D601A(Q/R/S)

IC851, 852: TC74HC4053AF
Analog Multiplexer/Demultiplexer



INPUT STATES	"ON" CHANNEL (S)		
INHIBIT	C	B	A
0	0	0	0
0	0	0	1
0	0	1	0
0	0	1	1
0	1	0	0
0	1	0	1
0	1	1	0
0	1	1	1
1	X	X	X

IC853: NJM2581M
Video Amp



★ All voltages are measured with a 10MΩ/V DC electronic volt meter.
★ Components having special characteristics are marked (†), and must be replaced with parts having specifications equal to those originally installed.
★ Schematic diagram is subject to change without notice.

★ 電圧は、内部抵抗10MΩの電圧計で測定したものです。
★ 1印のある部品は、安全性確保部品を示しています。部品の交換が必要な場合、パーツリストに記載されている部品を使用してください。
★ 本回路図は標準回路図です。改良のため予告なく変更することがございます。